Danner, Ward

From: Shalev, Omer

Sent: Thursday, December 04, 2014 4:13 PM

To: Armann, Steve

Subject: FW: SW Marine: metal recycling

Emailed response below. I forgot to copy you.

Omer Shalev

Environmental Engineer Land Division (LND 4-2) Environmental Protection Agency, Region 9

75 Hawthorne St.

San Francisco, CA 94105

(415) 972-3538

From: Shalev, Omer

Sent: Thursday, December 04, 2014 4:12 PM

To: 'Paul Parmentier'; Omo Patrick; Warren, Scott@DTSC

Cc: neil irish; rita brenner

Subject: RE: SW Marine: metal recycling

Paul, based on what you have described in this email, I believe this is the appropriate procedure for the pipes that you encountered, according to the Toxic Substances Control Act.

Omer Shalev

Environmental Engineer Land Division (LND 4-2) Environmental Protection Agency, Region 9 75 Hawthorne St.

San Francisco, CA 94105

(415) 972-3538

From: Paul Parmentier [mailto:pparmentier@thesourcegroup.net]

Sent: Thursday, December 04, 2014 11:35 AM

To: Omo Patrick; Shalev, Omer; Warren, Scott@DTSC

Cc: neil irish; rita brenner

Subject: SW Marine: metal recycling

During excavation, we encountered some pipes that we removed and piled up. We conducted 3 random wipe tests for PCBs on the pipes, and all results were non-detectable. We recommend having the metal recycled, and wanted your concurrence. There is approximately one truck load of metals to be recycled.

Paul Parmentier, CHG 562 / 597.1055 ext. 106

Principal Hydrogeologist

The Source Group, Inc.

Environmental Engineering, Hydrogeologic & Management

1962 Freeman Ave

Signal Hill, CA 90755 Cell: 714.519.1218

www.thesourcegroup.net

The materials transmitted by this electronic mail are confidential, are only for the use of the intended recipient, and may also be subject to applicable privileges. Any dissemination, distribution, or copying of this communication is strictly prohibited. If you have received this communication in error, please immediately notify the sender. Please also remove this message from your hard drive, diskette, and any other storage device.

